


PROPOSED PAVEMENT SECTION DETAIL




A. 2" HMAC TYPE D TxDOT ITEM 340

B. 8" CEMENT TREATED BASE PER TXDOT ITEM 275 AT 3.5% CEMENT BY DRY WEIGHT OF MATERIAL. COMPACTED TO 95% PER ASTM D1557. MAINTAIN MOISTURE CONTENT MINIMUM 24 HOURS & MICRO CRACK SURFACE PER ITEM 275.

C. SUBGRADE, PROOF ROLL AND REPAIR SOFT SPOTS WITH TYPE A GRADE 1 LIMESTONE COMPACTED TO 95% PER ASTM D 698.

QUANTITIES (BASE ITEMS)				
ITEM DESCRIPTION		QTY	UNIT	
1.	2" HMAC TYPE D	5126	SY	
2.	2. 8" CEMENT TREATED BASE		SY	

	QUANTITIES (ADDITIVE ALTERNATE 1)			
ITEM	DESCRIPTION	QTY	UNIT	
1.	2" HMAC TYPE D	968	SY	
2.	8" CEMENT TREATED BASE	968	SY	





_00000000000	REV.		Ξ
STATE OF YEAR		BY	
	DRAWN	PR	
MARK MANN	CHKD.	ММ	Г
91891	APPR.		Г
3 91891 (CENSE)	APPR.		Г
Man ON AVE			Г
January 13, 2025	SCALE:	N	11

٦	REV.		D	ESCRIPTION	BY	APPR.	DATE
		BY	DATE	SABINE RIVER AUTHORITY OF TEXAS			
1	DRAWN	PR	09/2024				
1	CHKD.	ММ	01/2025	CANEY POINT — TOURNAMENT FACILITY			
1	APPR.			ASPHALT PAVEMEN	IT IM	IPROVEM	IENTS
	APPR.			FOR: FOR BIDS			
	SCALE:	N	ITS	DRAWING NO. C-1		REV.	0