SABINE RIVER AUTHORITY OF TEXAS

TO: INTERESTED PARTIES

FROM: ENVIRONMENTAL SERVICES DIVISION

RE: MAY 2024 MONTHLY WATER QUALITY REPORT

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from May 20th through the 23th. The results of field monitoring are presented in this report¹ and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) <u>Clean Rivers Program Data Tool</u>.

Sabine Basin Tidal (Including Tributaries)

Weather – Air temperatures in the tidal basin were warm with highs in the upper 70s to low 90s. Low temperatures were in the mid 60s to upper 70s. The tidal stations received 2.94 inches of rainfall in the seven days prior to the sampling event.

Tidal Conditions – Surface salinity values were not greater than 1 ppt at any of the seven tidal stations. The highest salinity value of 0.4 ppt was recorded at station 10441 (AB2) at a depth of 4.0 meters.

Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)

Weather – Air temperatures in the lower basin were warm with highs in the mid 70s to low 90s. Low temperatures were in the low 60s to low 70s. Toledo Bend received 2.03 inches of rainfall during the seven days prior to the sampling event. **Lake Level** - The level of Toledo Bend was 172.19 feet with a daily average discharge of 54,597 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicate a stratified water column.

Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)

Weather - Air temperatures in the upper basin were mild with highs in the low 70s to upper 80s. Low temperatures were in the upper 50s to upper 60s. Lake Fork and Lake Tawakoni received 0.74 and 0.56 inches of rain respectively during the seven days prior to sampling.

Lake Level - The level of Lake Tawakoni was 438.29 feet msl with a release of 1,040 cfs on the day of sampling. The level of Lake Fork was 403.35 feet msl with a 10 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Fork and Lake Tawakoni indicate a stratified water column.

This report and additional links to data for these monitoring stations are available at the <u>Sabine River Authority of Texas</u> website. If you have any questions or comments concerning this report, please contact:

- ➤ Pollie Holtham, Environmental Services Division Manager 409-746-3284 (pholtham@sratx.org)
- Lower and Tidal Sabine Basin

 Jerry Wiegreffe, Environmental Services Assistant Division Manager
 409-746-3284 (jwiegreffe@sratx.org)
- ➤ Upper Sabine Basin
 Luke Sanders, Senior Biologist
 903-878-7734 (lsander@sratx.org)

¹ Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.


SABINE RIVER AUTHORITY OF TEXAS

Monthly Water Quality Report

Table of Contents

Fixed Monitoring Stations	4
Segment 0501 – Sabine River Tidal	5
Segment 0502 - Sabine River Above Tidal	7
Segment 0503 - Sabine River Above Caney Creek	8
Segment 0504 – Toledo Bend Reservoir	9
Segment 0505 - Sabine River Above Toledo Bend Reservoir	14
Segment 0506 - Sabine River Below Lake Tawakoni	15
Segment 0507 - Lake Tawakoni	19
Table of Figures	
Sabine Basin Map	
Segment 0501	
Segment 0502	
Segment 0503 Toledo Bend Reservoir Profiles	
Segment 0504	
Segment 0505	
Lake Fork Reservoir Profiles	
Segment 0506	
Lake Tawakoni Reservoir Profiles	
Segment 0507	21

Sabine Basin Map



Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUNDBUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
501	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA.
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA.
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
505	10423 (SR14)	SABINE RIVER AT SH 149 SOUTH OF LONGVIEW TX
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

Segment 0501 - Sabine River Tidal

Description: The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to Morgans Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


Segment 0508 – Adams Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

Segment 0511 – Cow Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

Segment 0501 Water Quality

Date and Time	Station											7.0
		Деріһ	Тетр	Hd	OG	% Sat	Cond	SGI	Salinity	Secchi	Turbidity	Enterococcus
		meters	$^{\circ}C$	SU	mg/L		μS/cm	mg/L	ppt	meters	NTU	mpn/100mL
5/23/24 09:35	10391 (SRT1)	0.3	25.6	6.0	4.4	54	108	69	<0.1	0.48	20.5	20
		3.0	25.6	6.0	4.4	53	108	70	< 0.1			
		6.0	25.6	6.0	4.3	53	108	70	< 0.1			
		9.0	25.6	6.4	3.0	38	109	72	< 0.1			
5/23/24 09:20	15654 (BB1)	0.3	25.7	6.0	4.4	54	111	71	< 0.1	0.27	28.9	41
		1.5	25.7	6.0	4.4	54	110	71	< 0.1			
		3.0	25.7	6.0	4.4	54	111	71	< 0.1			
Segmen	nt 0511											
5/23/24 08:58	10449 (CB1)	0.3	25.8	6.0	4.2	52	113	72	< 0.1	0.40	22.7	20
		2.5	25.7	6.0	4.3	53	112	72	< 0.1			
		5.0	25.7	6.0	4.2	52	112	72	< 0.1			
Segmen	nt 0508											
5/23/24 09:56	10441 (AB2)	0.3	26.6	6.6	0.1	1	163	104	0.1	0.46	15.3	108
		2.0	26.0	6.5	< 0.1	<1	128	82	< 0.1			
		4.0	25.9	6.4	< 0.1	<1	668	430	0.4			
5/23/24 10:16	15653 (ICW1)	0.3	25.7	6.0	4.4	54	110	70	< 0.1	0.43	23.5	73
		3.0	25.7	6.0	4.3	53	110	70	< 0.1			
		6.0	25.7	6.0	4.3	53	110	70	< 0.1			
5/23/24 11:07	10394 (SRT2)	0.3	25.6	6.0	4.4	54	108	69	< 0.1	0.42	19.2	74
		3.0	25.6	6.0	4.4	54	107	69	< 0.1			
		6.0	25.6	6.1	4.4	54	108	69	< 0.1			
		9.0	25.6	6.0	4.4	54	85	54	< 0.1			
5/23/24 13:52	10395 (SR1)	0.3	25.9	5.9	3.7	45	88	56	< 0.1	0.41	17.1	132

Segments 0501, 0508 & 0511



Segment 0502 - Sabine River Above Tidal

Description: The designated segment includes the Sabine River from Morgans Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

Segment 0513 – Big Cow Creek. The segment reaches from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


Segment 0502 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
5/22/24 08:06	10397(SR2)	08030500	Sabine River near Ruliff, TX	52,200

Segments 0502 and 0513 Water Quality

Date and Time	Station	Depth	Temp	pН	DO	%	Cond	TDS	Secchi	Turbidity	E.coli
		meters	°C	SU	mg/L	Sat	μS/cm	mg/L	meters	NTU	mpn/100mL
5/22/24 08:06	10397 (SR2)	0.3	25.0	6.1	5.1	62	99	64	0.36	23.2	26
Segmen	it 0513										
5/22/24 09:19	10465 (BCC1)	0.3	23.7	5.4	6.3	75	40	25	0.35	26.9	26

Segments 0502 & 0513



Segment 0503 - Sabine River Above Caney Creek


Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area, including one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.

Segment 0503 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
5/22/24 11:38	10398(SR3)	08028500	Sabine River near Bon Wier, TX	34,500
5/22/24 10:28	10399(SR5)	08026000	Sabine River near Burkeville, TX	21,500

Segment 0503 Water Quality

Date and Time	Station	Depth	Temp	pН	DO	%	Cond	TDS	Secchi	Turbidity	E.coli
		meters	°C	SU	mg/L	Sat	μS/cm	mg/L	meters	NTU	mpn/100mL
5/22/24 11:38	10398 (SR3)	0.3	24.9	6.4	6.0	73	137	88	0.38	18.7	6
5/22/24 11:15	10340 (BA4)	0.3	26.1	6.3	6.2	77	128	82	0.27	37.3	19
5/22/24 10:28	10399 (SR5)	0.3	24.2	6.7	6.9	82	148	95	1.0	4.80	3
	10401 (TB6S)	0.3	Un	able to	reach site	e due to	spillway re	elease			
5/20/24 11:55	15660 (BT1)	0.3	23.2	6.0	7.1	83	70	45	0.20	39.6	140



Segment 0504 - Toledo Bend Reservoir

Description: The designated segment includes the Sabine River from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County. Although this area is largely rural, it includes two cities with populations greater than 5,000. Murvaul Creek is a major tributary that enters upstream of the reservoir.

Segment 0504 Water Quality

Date and Time	Station	Depth	Temp	pН	DO	% Sat	Cond	TDS	Secchi	Turbidity	E.coli
		meters	°C	SU	mg/L		μS/cm	mg/L	meters	NTU	mpn/100mL
5/21/24 14:25	10404 (TB6A)	0.3	24.8	7.0	8.0	97	148	95	1.5	2.37	1
		1.0	24.3	6.9	7.8	94	148	95			
		2.0	24.2	6.8	7.4	91	148	95			
		3.0	24.0	6.6	6.8	82	148	95			
		4.0	23.8	6.6	5.9	70	147	94			
		5.0	23.4	6.4	5.2	62	146	94			
		8.0	22.7	6.4	4.0	47	151	96			
		11.0	21.3	6.4	2.8	32	152	97			
		14.0	19.2	6.4	1.0	12	156	100			
		17.0	18.0	6.4	0.3	4	160	102			
		20.0	17.5	6.5	< 0.1	<1	161	103			
		23.0	16.2	6.8	< 0.1	<1	163	104			
		26.0	14.6	6.7	< 0.1	<1	172	111			
5/21/24 07:47	10406 (TB6C)	0.3	29.3	7.6	8.6	113	134	86	1.5	2.63	2
		1.0	29.3	7.6	8.6	113	134	85			
		2.0	29.1	7.6	8.6	113	135	86			
		3.0	25.3	7.0	5.5	67	92	59			
		4.0	23.0	6.1	2.0	23	67	43			
5/21/24 13:11	18054 (TB6Q)	0.3	27.8	8.0	9.2	117	127	82	1.0	3.94	1
		1.0	27.6	7.9	9.1	116	127	82			
		2.0	27.5	7.8	9.0	114	128	82			
		3.0	27.3	7.6	8.8	112	127	82			
		4.0	27.2	7.4	8.7	111	127	82			
		5.0	26.9	6.8	7.7	99	128	82			
		6.0	24.1	6.4	3.7	44	136	87			
		7.0	23.8	6.5	3.6	42	134	86			
		8.0	23.7	6.7	2.1	24	141	89			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth	Temp	pН	DO	% Sat	Cond	TDS	Secchi	Turbidity	E.coli
		meters	°C	SU	mg/L		μS/cm	mg/L	meters	NTU	mpn/100mL
5/20/24 10:09	10411 (TB6F)	0.3	29.0	7.8	9.8	128	107	69	0.84	6.21	1
		1.0	27.3	7.6	9.3	115	87	56			
		2.0	23.5	7.0	5.8	68	68	44			
		3.0	22.5	6.4	5.2	60	69	44			
		4.0	21.9	6.2	4.2	48	70	45			
		5.0	21.8	6.1	4.0	45	70	45			
5/21/24 10:45	10402 (TB6H)	0.3	26.4	7.1	7.4	92	120	77	>0.60	5.08	3
			site.	Unable nary d	to tie	to buoy	taken at y or ren nds and	nain			
5/20/24 10:37	15659 (TB6K)	0.3	27.7	7.5	9.7	124	112	72	0.45	10.8	5
		1.0	24.7	7.2	7.3	86	124	80			
		2.0	24.1	6.9	5.6	65	124	80			
		3.0	24.0	6.7	4.5	54	121	77			
		4.0	23.5	6.5	3.6	42	89	57			
		5.0	22.8	6.2	2.0	23	80	52			
		6.0	22.6	6.0	1.5	18	74	48			
		7.0	22.5	5.9	1.0	11	74	47			
		8.0	22.4	5.8	0.8	10	74	47			
		9.0	22.4	5.8	0.8	9	74	47			
5/20/24 09:37	15655 (TB6J)	0.3	28.7	8.6	11.2	146	118	76	0.95	4.58	<1
		1.0	27.9	7.5	9.8	127	114	73			
		2.0	25.7	6.7	7.2	90	101	65			
		3.0	23.5	6.6	4.6	55	97	63			
		4.0	22.8	6.8	2.8	33	95	61			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth	Temp	pН	DO	%	Cond	TDS	Secchi	Turbidity	E.coli
		meters	°C	SU	mg/L	Sat	μS/cm	mg/L	meters	NTU	mpn/100mL
5/21/24 12:03	18053 (TB6LN)	0.3	27.0	7.0	7.9	101	101	65	0.77	8.49	6
		1.0	27.0	6.9	8.0	101	102	64			
		2.0	26.6	6.7	7.6	94	102	65			
		3.0	26.1	6.6	6.7	83	102	65			
		4.0	25.9	6.4	5.9	74	99	62			
		5.0	23.4	6.0	2.1	25	76	49			
		6.0	23.3	5.9	1.9	23	77	51			
5/21/24 09:16	18052 (TB6R)	0.3	25.8	6.9	6.5	80	122	78	0.45	12.1	2
			No wat	er qua	lity pro	ofiles t	aken at	this			
				-			or rem				
			station	ary du	e to hi	gh win	ds and i	rough			
		,	water.								


Toledo Bend Reservoir Profiles




TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL



TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM





Segment 0505 - Sabine River Above Toledo Bend Reservoir


Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.

Segment 0505 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
5/22/24 10:23	13628(SR11)	08022040	Sabine River near Beckville, TX	7,980
5/22/24 09:40	10423(SR14)	08020990	Sabine River near Longview, TX	7,480

Segment 0505 Water Quality

Date and Time	Station	Depth	Temp	pН	DO	% Sat	Cond	TDS	Secchi	Turbidity	E. coli
		meters	°C	SU	mg/L		μS/cm	mg/L	meters	NTU	mpn/100mL
5/22/24 10:56	10415(SR10)	0.3	24.4	7.0	5.1	62	193	124	0.24	52.7	28
5/22/24 10:23	13628(SR11)	0.3	24.1	7.0	5.2	63	198	127	0.22	48.4	12
5/22/24 09:40	10423(SR14)	0.3	23.9	7.0	4.8	57	201	129	0.32	27.4	18
5/22/24 09:01	10427(SR16)	0.3	24.0	7.0	4.6	56	203	130	0.36	24.9	17



Segment 0506 - Sabine River Below Lake Tawakoni

Description: The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

Segment 0514 - Big Sandy Creek. The segment reaches from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

Segment 0515 - Lake Fork Creek. The segment reaches from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

Segment 0512 - Lake Fork Reservoir. The segment reaches from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

Segment 0506 USGS- Recorded Flows

			10110	
Date and Time	Station	USGS Station #	Location	Flow (cfs)
5/22/24 08:22	10428(SR17)	08020000	Sabine River near Gladewater, TX	6,290
5/21/24 15:04	10429(SR19)	08019200	Sabine River near Hawkins, TX	4,550
5/21/24 14:25	10430(SR21)	08018500	Sabine River near Mineola, TX	2,400
Segmen	nt 0514			
5/21/24 15:34	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	251


Segment 0506 Water Quality

Date and Time	Station	Depth	Temp	pН	DO	%	Cond	TDS	Secchi	Turbidity	E. coli
		meters	°C	SU	mg/L	Sat	μS/cm	mg/L	meters	NTU	mpn/100mL
5/22/24 08:22	10428(SR17)	0.3	24.0	6.8	4.7	56	206	132	0.42	20.3	20
5/21/24 15:04	10429(SR19)	0.3	24.1	7.2	5.2	63	217	139	0.45	22.1	26
5/21/24 14:25	10430(SR21)	0.3	22.6	7.2	5.8	68	247	259	0.42	16.3	25
Segment	Segment 0514										
5/21/24 15:34	10468(BS1)	0.3	25.1	6.7	5.8	71	140	90	0.44	25.4	88
Segment 0515											
5/21/24 14:47	10469(LF20)	0.3	24.2	7.1	5.7	68	178	114	0.35	34.4	61


Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
Segment	0512										
5/21/24 13:17	10458(LF2)	0.3	23.4	7.3	6.9	82	162	104	1.2	4.09	2
		1.0	23.4	7.3	6.9	82	162	104			
		2.0	23.3	7.2	6.8	80	162	104			
		3.0	23.2	7.2	6.7	79	162	104			
		4.0	23.0	7.1	6.0	71	162	104			
		5.0	22.3	6.9	4.0	46	162	104			
		6.0	22.2	6.9	3.6	42	163	104			
		7.0	21.6	6.7	2.9	33	165	106			
		8.0	21.0	6.7	2.1	23	166	106			
		9.0	20.5	6.6	1.8	20	167	107			
		10.0	20.0	6.6	1.7	19	167	107			
		11.0	19.3	6.6	1.2	13	168	107			
			19.3	6.5		13		108			
		12.0			1.2		169				
		13.0	18.8	6.5	1.0	10	169	108			
		14.0	18.8	6.4	0.9	10	170	109			
		15.0	18.4	6.4	0.3	3	171	109			
		16.0	18.0	6.4	0.2	2	172	110			
		17.0	17.9	6.3	0.2	2	181	116			
5/21/24 12:18	10462(LF4)	0.3	25.5	7.3	8.5	105	160	102	0.64	5.40	7
		1.0	25.4	7.6	8.5	105	160	102			
		2.0	25.4	7.6	8.5	104	160	102			
		3.0	25.3	7.6	8.4	103	160	102			
		4.0	25.2	7.4	8.2	101	160	102			
		5.0 6.0	25.1 25.1	7.5 7.4	7.9 7.7	97 94	160 161	102 103			
		7.0	24.5	7.4	6.2	76	160	103			
		8.0	23.7	6.9	2.9	34	155	100			
		9.0	23.3	6.8	2.2	26	156	100			
		10.0	21.2	6.6	0.2	3	167	107			
		11.0	21.1	6.6	0.3	3	174	112			
5/21/24 12:45	10461(LF3)	0.3	25.9	8.5	9.4	117	160	103	0.65	6.12	1
		1.0	25.8	8.6	9.4	117	160	103			
		2.0 3.0	25.8 25.7	8.6	9.4	117 116	160 160	102			
		4.0	25.7	8.6	9.3	115	160	102			
		5.0	25.7	8.5	9.2	113	160	102			
		6.0	25.6	8.4	9.0	112	159	102			
		7.0	25.5	7.7	3.1	36	160	102			
		8.0	24.0	7.1	0.5	6	164	105			
		9.0	22.6	6.9	0.2	2	173	111			


Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

Segments 0506, 0512, 0514 & 0515




Segment 0507 - Lake Tawakoni

Description: The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000 and one of the four largest cities in the Sabine Basin.


Segment 0507 Water Quality

Date and Time	Station	Depth meter	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
5/21/24 11:12	10434(LT23A)	0.3	23.5	8.0	7.6	91	213	136	1.2	6.72	<1
		1.0	23.5	8.0	7.4	88	213	136			
		2.0	23.5	7.9	7.4	88	213	136			
		3.0	23.5	7.9	7.4	88	213	136			
		4.0	23.9	7.9	7.4	88	213	136			
		5.0	23.4	7.8	7.3	86	213	136			
		6.0	23.4	7.8	7.0	84	213	136			
		7.0	22.8	7.6	4.9	56	214	137			
		8.0	22.3	7.4	4.0	46	214	137			
		9.0	22.0	7.4	3.2	37	215	138			
		10.0	21.6	7.3	2.5	28	216	138			
		11.0	21.1	7.2	1.1	11	218	140			
		12.0	20.5	7.1	0.2	2	220	141			
		13.0	20.1	7.1	0.2	2	222	142			
		14.0	19.6	7.0	0.2	2	227	146			
		15.0	19.5	7.0	0.2	2	229	146			
5/21/24 10:24	21173(LT23DN)	0.3	24.7	8.2	8.3	101	208	133	0.46	7.24	<1
		1.0	24.7	8.1	8.3	101	208	133			
		2.0	24.7	8.1	8.3	101	207	133			
		3.0	24.7	8.1	8.2	100	207	133			
		4.0	24.7	8.0	8.1	98	207	133			
		5.0	24.6	8.0	8.0	97	207	133			
		6.0	24.6	7.9	7.6	92	207	133			
		7.0	23.9	7.4	4.7	56	205	132			
		8.0	23.7	7.3	4.7	57	208	133			
		9.0	23.1	7.2	3.3	39	210	135			
		10.0	22.6	7.0	0.7	9	217	139			
5/21/24 09:59	10437(LT23B)	0.3	25.3	8.4	8.9	110	207	133	0.48	9.02	1
		1.0	25.3	8.3	8.9	109	207	133			
		2.0	25.3	8.3	8.9	109	207	133			
		3.0	25.3	8.3	8.9	110	207	133			
		4.0	25.3	8.2	8.9	110	207	133			
		5.0	25.3	8.2	8.8	109	207	132			
		6.0	25.3	8.2	8.8	108	206	132			
		7.0	25.3	8.2	8.8	108	206	132			
		8.0	25.3	8.1	8.7	107	206	132			
		9.0	24.1	7.1	3.5	40	206	132			


Lake Tawakoni Reservoir Profiles



LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

